Operations Research Letters 10 (1991) 549–552
North-Holland

Author index to volume 10 (1991)

The issue number is given in front of the page numbers

Aksoy, Y., *see* H.P. Benson (4) 203–209
Applegate, D.L., W. Cook and S.T. McCormick, Integral infeasibility and testing total dual integrality (1) 37– 41
Baccelli, F., *see* D. Towsley (1) 49– 55
Ballestero, E. and C. Romero, A theorem connecting utility function optimization and compromise programming (7) 421–427
Błażewicz, *see* D. de Werra (1) 9– 15
Benson H.P. and Y. Aksoy, Using efficient feasible directions in interactive multiple objective linear programming (4) 203–209
Benson, H.P., Complete efficiency and the initialization of algorithms for multiple objective programming (8) 481–487
Burkard R.E. and F. Rendl, Lexicographic bottleneck problems (5) 303–308
Burke, J.V. and M.C. Ferris, Characterization of solution sets of convex programs (1) 57– 60
Cechlárová, K., The uniquely solvable bipartite matching problem (4) 221–224
Chen, P.-C., P. Hansen and B. Jaumard, On-line and off-line vertex enumeration by adjacency lists (7) 403–409
Chiarawongse, J. and M.M. Srinivasan, On pseudo-conservation laws for the cyclic server system with compound Poisson arrivals (8) 453–459
Christof, T., M. Jünger and G. Reinelt, A complete description of the traveling salesman polytope on 8 nodes (9) 497–500
Chung, N.-k. and D.-w. Tcha, A dual algorithm for submodular flow problems (8) 489–495
Colmenares, W., *see* U. García-Palomares (3) 137–141
Cook, W., *see* D.L. Applegate (1) 37– 41
Dafermos, S., *see* L. Zhao (7) 369–367
Dallery, Y. and D. Towsley, Symmetry property of the throughput in closed tandem queueing networks with finite buffers (9) 541–547
De Serres, Y., Simultaneous optimization of flow control and scheduling in a single server queue with two job classes (2) 103–112
Desrochers, M. and G. Laporte, Improvements and extensions to the Miller–Tucker–Zemlin subtour elimination constraints (1) 27– 36
de Werra, D., J. Błażewicz and W. Kubiak, A preemptive open shop scheduling problem with one resource (1) 9– 15
Doshi, B., Analysis of a two phase queueing system with general service times (5) 265–272
Du J. and J.Y.-T. Leung, Minimizing the number of late jobs on unrelated machines (3) 153–158
Dudzinski, K., A note on dominance relation in unbounded knapsack problems (7) 417–419
Duin, C.W. and A. Volgenant, Minimum deviation and balanced optimization: a unified approach (1) 43– 48
Fang, S.C., see J.R. Rajasekera (6) 309–312
Fathi, Y., SQVAM: A variance minimizing algorithm (8) 461–466
Fernández-Baca, D. and S. Srinivasan, Constructing the minimization diagram of a two-parameter problem (2) 87– 93
Ferris, M.C., *see* J.V. Burke (1) 57– 60
Fox, B.L., D. Goldsman and J.J. Swain, Spaced batch means (5) 255–254
Frostig, E., On the optimality of static policy in stochastic open shop (9) 509–512
Fuller, J.D., *see* Y. Wu (5) 297–302
Gail, H.R., *see* Z. Rosberg (2) 95– 97
García-Palomares U. and W. Colmenares, On the minimization of a quasi-concave function subject to linear constraints (3) 137–141

0167-6377/91/$03.50 © 1991, Elsevier Science Publishers B.V. All rights reserved

Gerards, A.M.H., Compact systems for T-join and perfect matching polyhedra of graphs with bounded genus (7) 377–382
Geromel, J.C. and P.A. Valente Ferreira, An upper bound on properly efficient solutions in multiobjective optimization (2) 83– 86
Glynn, P.W. and P. Heidelberger, Analysis of initial transient deletion for replicated steady-state simulations (8) 437–443
Glynn, P.W. and W. Whitt, Estimating the asymptotic variance with batch means (8) 431–435
Goemans, M.X. and K.T. Talluri, 2-Change for *k*-connected networks (2) 113–117
Goldfarb, D. and J. Hao, On strongly polynomial variants of The network simplex algorithm for the maximum flow problem (7) 383–387
Goldsman, D., *see* B.L. Fox (5) 255–254
Hall, N.G. and W. Kubiak, Proof of a conjecture of Schrage about the completion time variance problem (8) 467–472
Hamacher, H.W. and F. Rendl, Color constrained combinatorial optimization problems (4) 211–219
Hansen, P., *see* P.-C. Chen (7) 403–409
Hao, J., *see* D. Goldfarb (7) 383–387
Hasegawa, T., *see* T. Takine (9) 535–539
Hassin, R. and A. Tamir, Improved complexity bounds for location problems on the real line (7) 395–402
Hayhurst, K.J. and D.R. Shier, A factoring approach for the stochastic shortest path problem (6) 329–334
Hayya, J.C., *see* A.C. Pan (1) 1– 7
Heidelberger, P., *see* P.W. Glynn (8) 437–443
Hertz, A., Cosine: A new graph coloring algorithm (7) 411–415
Herzberg M. and U. Yechiali, Criteria for selecting the relaxation factor of the value iteration algorithm for undiscounted Markov and semi-Markow decision processes (4) 193–202
Hoogeveen, J.A., Analysis of Christofides' heuristic: Some paths are more difficult than cycles (5) 291–295
Huang, S. and K.O. Kortanek, A note on a potential reduction algorithm for LP with simultaneous primal–dual updating (9) 501–507
Hwang F.K. and Y.C. Yao, A direct argument for Kaplansky's theorem on a cyclic arrangement and its generalization (4) 241–243
Ikeda, Z., Mean waiting time of a Gamma/Gamma/1 queue (3) 177–181
Jain, S. and J.G.C. Templeton, Confidence interval for M/M/2 queue with heterogeneous servers (2) 99–101
Jaumard, B., ,*see* P.-C. Chen (7) 403–409
Jünger, M., *see* T. Christof (9) 497–500
Kaliski, J.A. and Y. Ye, Convergence behavior of Karmarkar's projective algorithm for solving a simple linear program (7) 389–393
Kipp Martin, R., Using separation algorithms to generate mixed integer model reformulations (3) 119–128
Kiwiel, K.C., A tilted cutting plane proximal bundle method for convex nondifferentiable optimization (2) 75– 81
Kojima, M., N. Megiddo, T. Noma and A. Yoshise, A unified approach to interior point algorithms for linear complementarity problems: A summary (5) 247–254
Konno, H., *see* T. Kuno (1) 23– 26
Kortanek, K.O., *see* S. Huang (9) 501–507
Kubiak, W., *see* D. de Werra (1) 9– 15
Kubiak, W., *see* N.G. Hall (8) 467–472
Kuno, T., H. Konno and E. Zemel, A linear-time algorithm for solving continuous maximin knapsack problems (1) 23– 26
Laporte, G., *see* M. Desrochers (1) 27– 36
Leung, J.Y.-T., *see* J. Du (3) 153–158
Levy A. and H. Levy, Lock and no-lock mortgage plans: Is it only a matter of risk shifting? (4) 233–240
Levy, H., A note on the complexity of Swartz's method for calculating the expected delay in non-symmetric cyclic polling systems (6) 363–368
Levy, H., *see* A. Levy (4) 233–240
Luss, H., A nonlinear minimax allocation problem with multiple knapsack constraints (4) 183–187
Martin, G.E., Negotiated price discounting of perishable inventories (9) 513–518

McCormick, S.T., *see* D.L. Applegate (1) 37– 41
Megiddo, N., *see* M. Kojima (5) 247–254
Miller, D.A. and S.W. Zucker, Copositive-plus Lemke algorithm solves polymatrix games (5) 285–290
Miller, D.L., *see* J.F. Pekny (3) 173–176
Muu, L.D. and W. Oettli, An algorithm for indefinite quadratic programming with convex constraints (6) 323–327
Nemhauser, G.L. and S. Park, A polyhedral approach to edge coloring (6) 315–322
Noma, T., *see* M. Kojima (5) 247–254
Nourie F.J. and E.R. Venta, Finding optimal line balances with OptPack (3) 165–171
Nowicki, E. and C. Smutnicki, Worst-case analysis of Dannenbring's algorithm for flow-shop scheduling (8) 473–480
Oettli, W., see L.D. Muu (6) 323–327
Ord, J.K., *see* A.C. Pan (1) 1– 7
Orda A.and R. Rom, Location of central nodes in time varying computer networks (3) 143–152
Pan, A.C., R.V. Ramasesh, J.C. Hayya and J.K. Ord, Multiple sourcing: The determination of lead times (1) 1– 7
Park, S., see G.L. Nemhauser (6) 315–322
Pekny, J.F., D.L. Miller and D. Stodolsky, A note on exploiting the Hamiltonian cycle problem substructure of the Asymmetric Traveling Salesman Problem (3) 173–176
Perry, D. and M.J.M. Posner, Determining the control limit policy in a replacement model with linear restoration (6) 335–341
Pieńkosz, K. *see* E. Toczyłowski (3) 159–163
Posner, M.J.M., see D. Perry (6) 335–341
Potts, C.N., D.B. Shmoys and D.P. Williamson, Permutation vs. non-permutation flow shop schedules (5) 281–284
Rajasekera, J.R. and S.C. Fang, On the convex programming approach to linear programming (6) 309–312
Ramasesh, R.V., *see* A.C. Pan (1) 1– 7
Reinelt, G., *see* T. Christof (9) 497–500
Rendl, F., *see* R.E. Burkard (5) 303–308
Rendl, F., *see* H.W. Hamacher (4) 211–219
Robinson, L.W., Baseball playoff eliminations: An application of linear programming (2) 67– 74
Rom. R., *see* A. Orda (3) 143–152
Romero, C., *see* E. Ballestero (7) 421–427
Rosberg, Z. and H.R. Gail, ASTA implies an M/G/1-like load decomposition for a server with vacations (2) 95– 97
Sakasegawa, H., *see* J.G. Shanthikumar (1) 17– 22
Shanthikumar, J.G., G. Yamazaka and H. Sakasegawa, Characterization of optimal order of servers in a tandem queue with blocking (1) 17– 22
Shapiro, J.F., Convergent duality for the Traveling Salesman Problem (3) 129–136
Sherali, H.D., On the equivalence between some shortest path algorithms (2) 61– 65
Shier, D.R., see K.J. Hayhurst (6) 329–334
Shmoys, D.B., *see* C.N. Potts (5) 281–284
Smutnicki, C., *see* E. Nowicki (8) 473–480
Spinrad, J., Note on recognition of matroid systems (6) 313–314
Srinivasan, M.M., *see* J. Chiarawongse (8) 453–459
Srinivasan, S., *see* D. Fernández-Baca (2) 87– 93
Stodolsky, D., *see* J.F. Pekny (3) 173–176
Swain, J.J., *see* B.L. Fox (5) 255–254
Takagi H. and Y. Takahashi, Priority queues with batch Poisson arrivals (4) 225–232
Takahashi, Y., *see* H. Takagi (4) 225–232
Takine, T. and T. Hasegawa, Average waiting time of a symmetric polling system under Bernoulli scheduling (9) 535–539
Talluri,K.T., *see* M.X. Goemans (2) 113–117
Tamir, A., *see* R. Hassin (7) 395–402
Tcha, D.-w., *see* N.-k. Chung (8) 489–495
Templeton, J.G.C., *see* S. Jain (2) 99–101
Toczyłowski E. and K. Pieńkosz, Restrictive aggregation of items in multi-stage production systems (3) 159–163

Towsley, D. and F. Baccelli, Comparisons of service disciplines in a tandem queueing network with real time constraints (1) 49– 55
Towsley, D. and S.K. Tripathi, A single server priority queue with server failures and queue flushing (6) 353–362
Tripathi, S.K., see D. Towsley (6) 353–362
Vakili, P., Using a standard clock technique for efficient simulation (8) 445–452
Valente Ferreira, P.A., *see* J.C. Geromel (2) 83– 86
Vanderbei, R.J., A brief description of ALPO (9) 531–534
van Dijk, N.M., 'Stop = recirculate' for exponential product form queueing networks with departure blocking (6) 343–351
Varadarajan, R., An optimal algorithm for $2 \times n$ bottleneck transportation problems (9) 525–529
Venta, E.R., *see* F.J. Nourie (3) 165–171
Volgenant, A., *see* C.W. Duin (1) 43– 48
Whitt, W.,, *see* P.W. Glynn (8) 431–435
Williamson, D.P., *see* C.N. Potts (5) 281–284
Wu Y. and J.D. Fuller, Convergence of multiperiod equilibrium calculations, with geometric distributed lag demand (5) 297–302
Xu, S.H., Minimizing expected makespans of multi-priority classes of jobs on uniform processors (5) 273–280
Yamazaka, G., *see* J.G. Shanthikumar (1) 17– 22
Yao, Y.C., *see* F.K. Hwang (4) 241–243
Ye, Y., *see* J.A. Kaliski (7) 389–393
Yechiali, U., *see* M. Herzberg (4) 193–202
Yoshise, A., *see* M. Kojima (5) 247–254
Zdrzalka, S., Scheduling jobs on a single machine with release dates, delivery times and controllable processing times: worst-case analysis (9) 519–523
Zemel, E., *see* T. Kuno (1) 23– 26
Zhang, S., On anti-cycling pivoting rules for the simplex method (4) 189–192
Zhao, L. and S. Dafermos, General economic equilibrium and variational inequalities (7) 369–367
Zucker, S.W., *see* D.A. Miller (5) 285–290